

A60 GLS CLASSIC

SUPER EFFICIENT
90
LUMEN
per WATT



Areas of application

- Indoor use
- General illumination
- Outdoor applications only in suitable luminaires

Product benefits and features

- Long lifetime of up to 30,000 hours
- Low energy consumption
- Easy replacement
- Instant 100% light, no warm-up time

No UV and
thermal
radiation
Free from
harmful
elements

Hg
Mercury **0%**

ACD™
DRIVER
for longer life &
superior heat
resistance.

-20°C to 50°C
operating
temperature



Non-dimmable

3**
YEAR
GUARANTEE

I/O
≥15000



Instant light

Technical data

Electrical data

Wattage	5W	7W	9W	12W	15W
Nominal wattage	5W	7W	9W	12W	15W
Nominal voltage	100-250V	100-250V	100-250V	100-250V	100-250V
Operating frequency	50-60Hz	50-60Hz	50-60Hz	50-60Hz	50-60Hz
equiv. wattage of lamp	40W	50W	60W	75W	100W
Nominal luminous flux	470lms	650lms	850lms	1080lms	1400lms
Rated luminous flux	470lms	650lms	850lms	1080lms	1400lms
Beam angle	270°	270°	270°	270°	270°

Colour and temperature


Light colour	Warm White	Natural Cool White	Cool Day White
Colour temperature	2700K	4000K	6500K

Light technical data

Warm-up time (60 %)	≤ 1.00 s
Starting time	< 0.5 s

Dimensions & weight

Overall length	126 mm
Diameter	60 mm





*size varies depending on
cap base & clear or pearl type

Lifespan

Nominal lamp life time	30,000 hours
Rated lamp life time	30,000 hours
Number of switching cycles	15,000
Lumen main.fact.at end of nom.life time	0.70

Additional product data

Base	 BC (B22) 22mm	 ES (E27) 27mm
Mercury content	0.0 mg	
Mercury-free	Yes	
Design / version	Opal / Pearl and Clear	
Appropriate disposal acc. to WEEE	Yes	
Product remark	<p>All technical parameters apply to the entire lamp. Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value</p>	

Capabilities

Dimmable	No
----------	----

Certificates & standards

Energy efficiency class	A+
Energy consumption	5 kWh/1000h 7 kWh/1000h 9 kWh/1000h 12 kWh/1000h 15 kWh/1000h

Logistical Data

Product code	Product description	Cover	Colour	Power	Units	Inner	Master	Pallet
SLAPES5	A60 5W-E27	PEARL	WARM WHITE	5W=40W	1 Pack	12	10x12	24
SLAPBC5	A60 5W-B22	PEARL	WARM WHITE	5W=40W	1 Pack	12	10x12	24
SLAPES7	A60 7W-E27	PEARL	WARM WHITE	7W=50W	1 Pack	12	10x12	24
SLAPBC7	A60 7W-B22	PEARL	WARM WHITE	7W=50W	1 Pack	12	10x12	24
SLAPES9	A60 9W-E27	PEARL	WARM WHITE	9W=60W	1 Pack	12	10x12	24
SLAPBC9	A60 9W-B22	PEARL	WARM WHITE	9W=60W	1 Pack	12	10x12	24
SLAPES12	A60 12W-E27	PEARL	WARM WHITE	12W=75W	1 Pack	12	10x12	24
SLAPBC12	A60 12W-B22	PEARL	WARM WHITE	12W=75W	1 Pack	12	10x12	24
SLAPES15	A60 15W-E27	PEARL	WARM WHITE	15W=100W	1 Pack	12	10x12	24
SLAPBC15	A60 15W-B22	PEARL	WARM WHITE	15W=100W	1 Pack	12	10x12	24
SLACES5	A60 5W-E27	CLEAR	WARM WHITE	5W=40W	1 Pack	12	10x12	24
SLACBC5	A60 5W-B22	CLEAR	WARM WHITE	5W=40W	1 Pack	12	10x12	24
SLACES7	A60 7W-E27	CLEAR	WARM WHITE	7W=50W	1 Pack	12	10x12	24
SLACBC7	A60 7W-B22	CLEAR	WARM WHITE	7W=50W	1 Pack	12	10x12	24
SLACES9	A60 9W-E27	CLEAR	WARM WHITE	9W=60W	1 Pack	12	10x12	24
SLACBC9	A60 9W-B22	CLEAR	WARM WHITE	9W=60W	1 Pack	12	10x12	24
SLACES12	A60 12W-E27	CLEAR	WARM WHITE	12W=75W	1 Pack	12	10x12	24
SLACBC12	A60 12W-B22	CLEAR	WARM WHITE	12W=75W	1 Pack	12	10x12	24
SLAPES5C	A60 5W-E27	PEARL	COOL DAY WHITE	5W=40W	1 Pack	12	10x12	24
SLAPBC5C	A60 5W-B22	PEARL	COOL DAY WHITE	5W=40W	1 Pack	12	10x12	24
SLAPES7C	A60 7W-E27	PEARL	COOL DAY WHITE	7W=50W	1 Pack	12	10x12	24
SLAPBC7C	A60 7W-B22	PEARL	COOL DAY WHITE	7W=50W	1 Pack	12	10x12	24
SLAPBC7C	A60 9W-E27	PEARL	COOL DAY WHITE	9W=60W	1 Pack	12	10x12	24
SLAPBC9C	A60 9W-B22	PEARL	COOL DAY WHITE	9W=60W	1 Pack	12	10x12	24
SLAPES12C	A60 12W-E27	PEARL	COOL DAY WHITE	12W=75W	1 Pack	12	10x12	24
SLAPBC12C	A60 12W-B22	PEARL	COOL DAY WHITE	12W=75W	1 Pack	12	10x12	24
SLAPES15C	A60 15W-E27	PEARL	COOL DAY WHITE	15W=100W	1 Pack	12	10x12	24
SLAPBC15C	A60 15W-B22	PEARL	COOL DAY WHITE	15W=100W	1 Pack	12	10x12	24
SLACES5C	A60 5W-E27	CLEAR	COOL DAY WHITE	5W=40W	1 Pack	12	10x12	24
SLACBC5C	A60 5W-B22	CLEAR	COOL DAY WHITE	5W=40W	1 Pack	12	10x12	24
SLACES7C	A60 7W-E27	CLEAR	COOL DAY WHITE	7W=50W	1 Pack	12	10x12	24
SLACBC7C	A60 7W-B22	CLEAR	COOL DAY WHITE	7W=50W	1 Pack	12	10x12	24
SLACES9C	A60 9W-E27	CLEAR	COOL DAY WHITE	9W=60W	1 Pack	12	10x12	24
SLACBC9C	A60 9W-B22	CLEAR	COOL DAY WHITE	9W=60W	1 Pack	12	10x12	24
SLACES12C	A60 12W-E27	CLEAR	COOL DAY WHITE	12W=75W	1 Pack	12	10x12	24
SLACBC12C	A60 12W-B22	CLEAR	COOL DAY WHITE	12W=75W	1 Pack	12	10x12	24

References / Links

For further products and actual information concerning LED lamps see: <http://www.supacell.eu.com/led/>
 For Supacell LED Catalogue: http://www.multibrands.eu.com/Supacell_LED_Catalogue/

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.